

CDC Recommended Childhood Vaccine Schedule: 1986 vs 2019

1986 ⇒	12 shots 25 antigens 8 diseases		2019 ⇒	54 shots 70 antigens 16 diseases	
DTP (2 Months)	MMR (15 Months)	DTP (4 Years)	Hep B (1 day)	Influenza (7 Months)	Influenza (5 years)
Polio (2 Months)	DTP (18 Months)	Polio (4 Years)	Hep B (1 Month)	MMR (12 Months)	Influenza (6 Years)
DTP (4 Months)	Polio (18 Months)	Td (14 Years)	DTaP (2 Months)	Varicella (12 Months)	Influenza (7 Years)
Polio (4 Months)	Hib (2 Years)		Polio (2 Months)	Hib (12 Months)	Influenza (8 Years)
DTP (6 Months)			Hib (2 Months)	Hep A (12 Months)	Influenza (9 Years)
			PCV 13 (2 Months)	PCV 13 (12 Months)	Influenza (10 Years)
			Rotavirus (2 Months)	DTaP (15 Months)	HPV (11 Years)
			DTaP (4 Months)	Hep A (18 Months)	Meningococcal ACWY (11 Years)
			Polio (4 Months)	Influenza (18 Months)	Tdap (11 Years)
			Hib (4 Months)	Influenza (2 Years)	Influenza (11 Years)
			PCV 13 (4 Months)	Influenza (3 Years)	HPV (11.5 Years)
			Rotavirus (4 Months)	Influenza (4 years)	Influenza (12 years)
			DTaP (6 Months)	DTaP (4 Years)	Influenza (13 Years)
			Polio (6 Months)	MMR (4 Years)	Influenza (14 Years)
			Hep B (6 months)	Polio (4 Years)	Influenza (15 Years)
			Hib (6 Months)	Varicella (4 Years)	Meningococcal ACWY (16 Years)
			PCV 13 (6 Months)		Influenza (16 years)
			Rotavirus (6 Months)		Influenza (17 Years)
			Influenza (6 Months)		Influenza (18 years)



Note: DTP, DTaP, Tdap and MMR vaccines contain three antigens each.

SOURCE: CDC Recommended Childhood Vaccine Schedule, Birth to 18